



SCIENTZ-20FG/A

2021 2



			(RMB)	(RMB)
	Sci entz- 20FG/A	1		

1)

2) 1

3)

4) 7 PID USB

5)

6)

7)

8)

9)

10)

11)

3.1

		0.2
		2
		-50 - +70
		± 1
		70mm
		240mm* 430mm
	22	430
	16	814
	12	1300
		-80
		4Kg

		3L
		2()
		25

3.2

	0.2	
	4Kg/	
	220V/50Hz	
	840mm* 820mm* 240mm	
22	430	
16	814	
12	1300	

	3L	
	3Kw 3KW	220V/50Hz
	236Kg	
(
	3mm	
	110	
	ACRYLI C	
	Ra 0.5um	
	+	

	320mmx 350mmX480mm	
	SUS304	
	2+1	40* 40
	Ra 0.4um	
	240mm* 430mm* 25mm/2	
	70mm	
* *	240mm* 430mm* 10mm	
	- 50	
	+70	
	± 1	
	800w/220V/50Hz *1	
	+20 --- 40 60mi n	

	-40 ---+20 60r/min	
	± 0.5mm/m	
()		
	SUS304	
	Pt100	
	4KG/	
	-80	
	SC21CL	2
	2.2Kw	

	DML083S	2
	S-5201S	1
		1
	KP5	1
		2
		3
	40	1
	8 10	
		1
	3Pa	
	0.005 Pa. m ³ /sec	
	SUS304	
		1

	200w	
	5cs	
		1
	1 /min	
	800W *1	
	PI D	
	240*170mm	
	7	1
	PLC	1
	S-120-24	1
		1
	AC30-16A	1
	ZDR-52T	1
	HHG1-1/032F-22 40Z	2
		1
	JSZ3C-E	3

	PT100	5
--	-------	---

4.1

1)

2)

3)

70

R22

60

R134a

4)



4.2

WLO

4.4

- 1)
- 2)
- 3)
- 4)
- 5)
- 6)
- 7)
- 8)

+50°C

IP 67

